

24 Day Giveaway >

You can still get it by Christmas for only **\$7.95**

SweetCare 



## Using MIDI to Select Patches on the JV-1080

Article #13890 | Updated on Apr 27, 2007

You can select sounds or drum kits from an external MIDI device (sequencer, controller keyboard, etc.) using Control and Program Change messages. On the JV-1080, Patches, Performances, and Rhythm Kits are selected via MIDI using Bank Select (Control Changes 0 and 32) and Program Change messages. Use the following to determine the combination of values needed to select a sound:

MSB Value = Bank Select

LSB Value =MIDI Bank Select #

Program Change

Patch Group

JV Patch Number

Shop Sweetwater inSync SweetCare Events Careers Used Gear



(controller 32 value). We have provided the Bank Select numbers that apply to the JV-1080 in the third column of the chart above. Use the following examples as a guideline when changing Patches through MIDI:

EXAMPLE: To access Patch USER: 001 “Symphonique” we need the following messages:

\* Controller 0 with a value of 80, Controller 32 with a value of 0, and Program Change 0.

or

\* Bank number 10,240 and Program Change 0.

To access Patch PR-C: 112 "Cascade" we need the following messages:

\* Controller 0 with a value of 81, Controller 32 with a value of 2, and Program Change 111.

or

\* Bank number 10,370 and Program Change 111.

## When you need help, Sweetwater has the answers!

Our knowledge base contains over 28,000 expertly written tech articles that will give you answers and help you get the most out of your gear. Our pro musicians and gear experts update content daily to keep you informed and on your way. Best of all, it's totally FREE, and it's just another reason that you get more at Sweetwater.com.



28,000+ answers to your tech questions!

SEARCH

**Hundreds of Deals**  
*in the* **DEAL ZONE!**

SHOP NOW ▶

A promotional banner with a dark background and a yellow and red gradient at the bottom. It features the text "Hundreds of Deals in the DEAL ZONE!" and a "SHOP NOW" button with a right-pointing arrow.

Tags

jv1080

Roland

## Customers Also Viewed

---

What performance do I need to use for multichannel MIDI mode on the Roland JV1010?

---

How do I hard reset (factory initialize) the Roland JV1080?

---

What performance do I need to use for multichannel MIDI mode on the Roland JV1080?

---

How can I organize my favorite patches to one easily accesible group.

---

System Controllers

---

Setting-up System Controllers for a Patch

---

Effects Routing

---

Selecting Effects

---

*It's the most wonderful  
time of the year **GEAR!***

[Learn More](#)



## SIGN UP FOR EMAIL OFFERS!

Exclusive deals, delivered straight to your inbox.

Enter your email address

Subscribe

## SPECIAL FINANCING!

Now is the perfect time to get the gear you want with simple, promotional financing.

[Take me there >](#)

## FOLLOW US



## NEED HELP?

Call your Sales Engineer.

**(800) 222-4700**

[Email Us](#)

Music Store

Events & Workshops

Piano Showroom

Music Lessons

Recording Studio

Guitar Repair Shop

Order status

Tour Our Campus

Careers

Used Gear Marketplace

Payment Options

Gift Cards

Free Catalog

Our Story

Our Sales Engineers

Free Shipping Policy

Shipping And Delivery Times

Return Policy

Sales And Use Tax Policy

More...

**Sweetwater Sound**, 5501 U.S. Hwy 30 W, Fort Wayne, IN 46818 [Get Directions](#) | [Phone Hours](#) | [Store Hours](#)

© 2018 Sweetwater - All rights reserved. Please read our [Terms of Use](#), [Privacy Policy](#), and [Phone Recording Policy](#).  
[Press Releases](#).

